		Documen t ID	lssue Date	Pa ge s	Title	Curre nt OR	mr 11	Invers C>2 4 5
]	us 5985220 A	1999		Metal foil having reduced permanent thermal expansion for use in a catalyst assembly, and a	422/ 177	0 ; 422/1	Hug hes, Erne st Wils
	Σ]	 us 5846495 A	1998	9	method of making the same Structure for converter body	422/ 180	502/2 422/1 74 , 422/1 77 ; 422/1 99 ;	White tenberger
3		 US 5820835	1998		Assembly and method for making catalytic converter structure		11 ; 422/2 422/1 77 ; 422/2	Shell er, Davi d Tho
4		us 5791044 A	1998 0811		Assembly and method for catalytic converter structures	29/8 90	77 ; 422/1 80 ; 428/5 92 ; 502/4	Willi am A.
5	Lea	us 573783	9 1998 0414		Assembly and method for 5 making catalytic converter structures	29/8 90	#92/1 77 ; 422/1 80	Whiti tenb erger Willi
6		us 565792 A	3 199 081	7	Brazing of catalyzed converter bodies	228/	228/2 33.2 ; 29/89 0 ;	er, Davi d Tho
7		us 565190 A	6 199 072	7 9 :	Electrically heatable converter body having plural thin metal core elements attached only at outer ends	219/ 552	74	tenb erger William
8	Z	us 563296 A	199 052	7	11. Reinforcing web for a multicellular converter	422 180	; 4 22/2 / 11	
9	0	US 562892 A	28 199 05		Method for reducing the potential difference in an electrically heatable converter by connecting strip heater to corrugated str	219 488 the	76 76 ; / 219/	Rolf, 5 Stan ey C.

Page 1 (HTran2, 10/06/2000, EAST Version: 1.01.0015)

	4	<u> </u>	Documen ¢ ID	Issue Date	Pa ge s	Title	Curre nt OR	Curre nt XR of	inve s	CP2	4	5
10	X		US 5571485	1996 1105	15	Combined electrically heatable converter body	422/ 174	TEEL	Brun son, — Gor — don — W.			
11	M		US 5546746 A	1996 0820	15	Core element useful in a combined electrically heatable and light-off	60/2	02 ; 392/4 79 ; 422/1	Whit tenb erger Willi am			<u> </u>
12	M.		us 5512251 A	1996 0430	15	Combined electrically heatable converter body	422/	422/1 79 ; 422/1 80 ; 422/1 99 ; 422/2 21 ; 422/2	Brun son, Gor don W. , et al.			
13	X		us 5456890 A	1995 1010	18	Combined electrically heatable and light-off converter	422/ 174	422/1 80 ; 422/1 99 ; 502/4 39 ; 502/5	Tsal, Peter R F. , et al.			
14	X.		us 5441706 A	1995 0815	17	Combined electrically heatable converter body	422/ 174	; 502/4 39 ;	Whiti tenb erger Willi am A			Ī
15	M		US 5431886 A	1995 0711	8	Combined electrically heatable converter	422/ 174	209/5 44 ; 219/5 52	Rolf, Stant ey C.	u		I
16	X		US 5422083 A	1995 0606	7	Reinforced converter body	422/ 174	#1221 77 ; 422/1 80 #2021	Shell er, Davi d T.		L	I
17	Ŋ		US 5308591 A	1994 0503	- 11	Core body for catalytic converter	422/ 174	73 ; 422/1	tenb erger Willi		r	1

	u	Documen t ID	Issue Date	Pa ge s	Ticle	Curre nt OR	Curre nt XRef	Inve	S	. >2	4	5
18	M	US 4276331 A	1981 0630	10	Metal-ceramic composite and method for making same	428/34.6	138/1 43; 138/1 53; 156/1 90; 156/1 94; 156/2 18;					
19	<u> </u>	us 5026273 A	1991 0625	11	High temperature combuster		431/3 28 ; 431/3 28 ; 431/3 29 ; 502/5	n, Rich ard C.				

	Туре	L#	Hits	Search Text	DBs	Time Stamp	o m m e n	Errord	Er ro rs
1	BRS	LI	702	"422/180".ccls.	USPA T	2000/10/ 06 12:49		•	0
2	BRS	L3	57	I and (ferritic adj stainless adj steel)		2000/10/	7	:	0
3	BRS	L5	334	"422/174".cds.		2000/10/ 06 12:49	•		0
4	BRS	L7	34	5 and (ferritic adj stainless adj steel)	1	2000/10/		ī	ō
5	BRS	LII	337	"422/179".ccls.		2000/10/ 06 12:49		•	0
6	BRS	L9	67	3 or 7		2000/10/ 06 12:55		•	0
7	BRS	L13	19	9 and (mo or molybdenum)		2000/10/ 06 13:01		:	0